Temperature Log for Refrigerator and Freezer — Fahrenheit

Month/Year:_____ Days 1–15

Completing this temperature log: Check the temperatures in both the freezer and the refrigerator compartments of your vaccine storage units at least twice each working day. Place an "X" in the box that corresponds with the temperature and record the ambient (room) temperature, the time of the temperature readings, and your initials. Once the month has ended, save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.

If the recorded temperature is in the shaded zone: This represents an unacceptable

temperature range. Follow these steps:

- 1. Store the vaccine under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. Call the immunization program at your state or local health department and/ or the vaccine manufacturer to determine whether the vaccine is still usable:
- 4. **Document the action taken** on the reverse side of this log.

	Day of Month	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	Staff Initials															
	Room Temp.															
	Exact Time															
	^o F Temp	am pm	am pm	am pm	am pm	am pm	am pm	am pm	am pm	am pm	am pm	am pm				
ŧ	≥49°															
o warm	48°			Take	immed	liate co	orrecti	ve acti	on if to	emper	ature i	s in sh	aded s	section) *	
P	47°															
	46°															
	45°															
	43° 43° 45°															
	E 42°															
r 40°																
	2 39°															
	38°															
	37° 36°															
	35°															
*5	34°															
oo cold	33°			Take	immed	liate co	orrecti	ve acti	on if to	emper	ature i	s in sh	aded s	section) *	
P	≤32°															

Ě	2 ≥8°														
o wa	E √ 7°		Take	immed	iate co	orrecti	ve acti	on if to	emper	ature i	s in sh	aded	section	*	
P	C 6°														
	5°														
	4º														
	<u>≤</u> 3°†														

[†]Some frozen vaccines must not be stored colder than -58°F. Check the Prescribing Information on the vaccine manufacturer's website for specific storage temperature instructions.

Adapted by the Immunization Action Coalition courtesy of the Michigan Department of Community Health and the California Department of Health Services.

Technical content reviewed by the Centers for Disease Control and Prevention, August 2011.

www.immunize.org/catg.d/p3039f.pdf • Item #P3039F (8/11)

Vaccine Storage Troubleshooting Record

Use this page to record the details of the vaccine storage incident, including the date and time of the last known temperature within the appropriate vaccine storage range.

Date	Time	Storage Unit Temp	Room Temp	Incident	Action Taken	Results	Initials

Temperature Log for Refrigerator and Freezer — Fahrenheit

Month/Year:_____ Days 16–31

Completing this temperature log: Check the temperatures in both the freezer and the refrigerator compartments of your vaccine storage units at least twice each working day. Place an "X" in the box that corresponds with the temperature and record the ambient (room) temperature, the time of the temperature readings, and your initials. Once the month has ended, save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.

If the recorded temperature is in the shaded zone: This represents an unacceptable

temperature range. Follow these steps:

- 1. Store the vaccine under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. Call the immunization program at your state or local health department and/ or the vaccine manufacturer to determine whether the vaccine is still usable:
- 4. **Document the action taken** on the reverse side of this log.

	Day of Month		16		1	17	18		1	9	2	0	21		22	2	2:	3	2	4	25		26		27	Т	28	2	29	3	0	31	П
		Initials																								\top							\neg
	Room	ı Temp.												寸																			
		t Time												\neg																			\neg
	°F T	'emp	am	pm	am	pm	am	pm	am	pm	am	pm	am p	om	am	pm	am	pm	am	pm	am	pm	am	pm	am p	m ar	n pm	am	pm	am	pm	am	pm
ξ		≥49°																															
War		48°					Ta	ake	im	me	dia	te (corre	ect	ive	ac	tio	n if	ter	mp	era	tur	e is	in	sha	ded	sec	tio	n*				
⁶		47°																															
		46°																															\neg
	temperature	45°																															
	atu	44°																															
	er	43°																															
	E E	42°																															
	ē	41°																															
or 40°	5	40°												T																	П		П
	rat	39°												T																			П
	gerator	38°																															
	Refri	37°																															П
	Be l	36°																													П		П
		35°																															
*5		34°																															
oo cold		33°					Ta	ike	im	me	dia	te (corre	ect	ive	aç	tio	n if	ter	mp	era	tur	e is	in	shad	dęd	sec	tio	n*				
ě		≤32°																															
* E	Ω	≥8°																															
war	E E	7°					Ta	ike	im	me	dia	te (corre	ect	ive	ac	tio	n if	ter	mp	era	tur	e is	in	shad	ded	sec	tio	n*				
ß	- 1	6°																															
1	eze	5°																															
ľ	&	10												\neg												\top	-	\vdash				\rightarrow	-1

[†]Some frozen vaccines must not be stored colder than -58°F. Check the Prescribing Information on the vaccine manufacturer's website for specific storage temperature instructions.

Adapted by the Immunization Action Coalition courtesy of the Michigan Department of Community Health and the California Department of Health Services.

Technical content reviewed by the Centers for Disease Control and Prevention, August 2011.

www.immunize.org/catg.d/p3039f.pdf • Item #P3039F (8/11)

Vaccine Storage Troubleshooting Record

Use this page to record the details of the vaccine storage incident, including the date and time of the last known temperature within the appropriate vaccine storage range.

Date	Time	Storage Unit Temp	Room Temp	Incident	Action Taken	Results	Initials